-		_
	2	7
	5	5
-	-	. 1
_		$\overline{}$
•		
		1
C		>
Ċ		>
_	_	•
7	_	
۶	\ \	<b>&gt;</b>
_		_

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection gathering and maintaining the data neede collection of information, including sugge Davis Highway, Suite 1204, Arlington, VA	of information is estimated to average 1 hou d, and completing and reviewing the collectio stions for reducing this burden, to Washingto 22202-4302, and to the Office of Managemen	r per response, including the time for re n of information. Send comments regain n Headquarters Services, Directorate for t and Budget, Paperwork Reduction Prois	viewing instructions, searching existing data sources, rding this burden estimate or any other aspect of this Information Operations and Reports, 1215 Jefferson ect (0704-0188), Washington, DC 20503.	
(2001)	blank) 2. REPORT DATE 02/28/97	J 3. REPORT TYPE AND	D DATES COVERED Report 3/1/96-2/28/9	
4. TITLE AND SUBTITLE  "Genetic Regula  Symbiosis" - I	ation in the Aiptas Performance Report	sia pallida	5. FUNDING NUMBERS	
6. Author(s)  Dr. Jean-Franco	ois Tomb			
7. PERFORMING ORGANIZATION The Institute f 9712 Medical Ce Rockville, MD 2	or Genomic Researcenter Drive	h	8. PERFORMING ORGANIZATION REPORT NUMBER ONRYR1	
9. SPONSORING/MONITORING A Office of Naval Ballston Centre 800 North Quinc Arlington, VA 2	e Tower One zy Street	(ES)	10. SPONSORING/MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES  2a. DISTRIBUTION/AVAILABILIT			2b. DISTRIBUTION CODE	
Approved for pu		DESCRIPTION	STATEMENT A	
A. pallida Symbio identify sequence SAGE approach. Texpression in cul serial analysis of SAGE protocol with to date little properties of the application of are now focusing cultured and symbolic and 5-end application. This is the results. This	ibes the progress sis". The main go tags for difference initial protocal tured and symbiotic f gene expression to cDNA generated frogress has been made the SAGE technique on constructing rejiotic zooxanthellage	al of the projectially expressed we followed to cooxanthellae: (SAGE). We inition K. rotundature towards meeting proved technical proved techn	compare gene is one developed for ially tested the m. Unfortunately, ng our initial goal. cally difficult. We A libraries from nce from both the library and compare	
SUBJECT TERMS —sequence tags —serial analysis (	-EST approach	n (SAGE)	15. NUMBER OF PAGES 2 16. PRICE CODE	
unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE unclassified	19. SECURITY CLASSIFICAT OF ABSTRACT unclassified	unlimited	
I 7540-01-280-5500		DITC QUALITY II	Standard Form 298 (Rev. 2-89) Prescribed by ANSI Std. 239-18 298-102	

## Progress Report Office of Naval Research

"Genetic Regulation in A. pallida Symbiosis" Grant #: N00014-96-1-0604

This report describes the progress of the project "Genetic Regulation in A. pallida Symbiosis". The main goal of the project in year 1 was to identify sequence tags for differentially expressed genes using the SAGE approach.

Since receiving the award from ONR, we concentrated our initial efforts on the zooxanthellae. Isolation of mRNA and cDNA synthesis procedures were selected and tested with yeast and then with a different (non-zooxanthellate) cultured dinoflagellate, *Katodinium rotundatum*. These tests led to an effective protocol. We received cultured zooxanthellae from Dr. Clay Cook, Harbor Branch Oceanographic Institute and proceeded to isolate mRNA and construct cDNA from these samples.

The initial protocol we followed to compare gene expression in cultured and symbiotic zooxanthellae is the one developed for serial analysis of gene expression (SAGE) by Velculescu *et al* (1995)¹. When successful, SAGE results in the generation of many short (9-12 base pair) tags concentrated in a single sequence. The plan was then to compare frequency diagrams of the tags derived from the expressed genes of the two groups of zooxanthellae to determine which tags represent differentially expressed genes. Tags from these genes were then to be used as probes against full cDNA (expression) libraries and selected clones were to be sequenced.

We initially tested the SAGE protocol with cDNA generated from *K. rotundatum*. Unfortunately, to date little progress has been made towards meeting our initial goal. The application of the SAGE technique proved technically difficult despite repeated efforts by a skilled technician. We are now focusing on constructing representative cDNA libraries from cultured and symbiotic zooxanthellae and will sequence from both the 3′- and 5′-end approximately 5,000 clones from each library and compare the results. This work will be conducted throughout years 2 and 3. This EST approach, though not exhaustive, will identify a large number of zooxanthellae genes and will establish a reference database for future work. In addition, it will allow the identification of differentially expressed genes.

<sup>&</sup>lt;sup>1</sup>V.E. Velculescu, L. Zhang, B. Vogelstein, K.W. Kinzler. 1995. Serial Analysis of Gene Expression. Science, 270: 484-487.

The budget for year 1 has not been spent in large part due to the problems with progress on the project. As of February 28, 1997, \$56,930.75 total costs was carried over to year 2. The majority of the carryover is related to materials and supplies. We expect to spend all of the carryover funds from year 1 and all of year 2 funds by the end of the second year.